

Message

---

**From:** Lazos, Pamela [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=15D4F11C6327474BB424A24CBD406E93-PLAZOS]  
**Sent:** 6/24/2020 7:44:54 PM  
**To:** Rivera, Nina [Rivera.Nina@epa.gov]  
**Subject:** RE: CRW Meeting

That's a pretty good one.

---

**From:** Rivera, Nina <Rivera.Nina@epa.gov>  
**Sent:** Wednesday, June 24, 2020 3:00 PM  
**To:** Lazos, Pamela <Lazos.Pamela@epa.gov>  
**Subject:** RE: CRW Meeting

The only incentive would be to get from under us sooner.

---

**From:** Lazos, Pamela <Lazos.Pamela@epa.gov>  
**Sent:** Wednesday, June 24, 2020 2:58 PM  
**To:** Rivera, Nina <Rivera.Nina@epa.gov>  
**Subject:** RE: CRW Meeting

Hmmm, interesting concept. Is there any incentive to do that though? I'm also thinking about how things take 5-ever to get done in CSO world.

---

**From:** Rivera, Nina <Rivera.Nina@epa.gov>  
**Sent:** Wednesday, June 24, 2020 1:33 PM  
**To:** Lazos, Pamela <Lazos.Pamela@epa.gov>  
**Subject:** RE: CRW Meeting

## Ex. 5 AC/DP

---

**From:** Lazos, Pamela <Lazos.Pamela@epa.gov>  
**Sent:** Wednesday, June 24, 2020 1:11 PM  
**To:** Pratt, Stacie <Pratt.Stacie@epa.gov>; Maslowski, Steven <Maslowski.Steven@epa.gov>  
**Cc:** Rogers, Rick <rogers.rick@epa.gov>; Rivera, Nina <Rivera.Nina@epa.gov>  
**Subject:** RE: CRW Meeting

## Ex. 5 AC/DP

---

**From:** Pratt, Stacie <Pratt.Stacie@epa.gov>  
**Sent:** Wednesday, June 24, 2020 12:10 PM  
**To:** Maslowski, Steven <Maslowski.Steven@epa.gov>  
**Cc:** Rogers, Rick <rogers.rick@epa.gov>; Rivera, Nina <Rivera.Nina@epa.gov>; Lazos, Pamela <Lazos.Pamela@epa.gov>  
**Subject:** CRW Meeting

# Ex. 5 Deliberative Process (DP)

I hope some of this information is useful.

Thanks.

Stacie Pratt, Section Chief  
NPDES Section – 3ED32  
Water Branch, Enforcement and Compliance Assurance Division  
EPA Region 3  
1650 Arch Street  
Philadelphia, PA 19103  
Work Phone: 215-814-5173  
Work Cell: 267-761-0860  
Email: [pratt.stacie@epa.gov](mailto:pratt.stacie@epa.gov)